



# 沃思德钎具 WOSERLD ROCK TOOLS



## 江西沃思德凿岩液压有限公司 JIANGXI WOSERLD ROCK DRILLING HYDRAULIC CO.,LTD.

地址:江西省萍乡市经济技术开发区彭高镇上栗工业园  
电话: 0799-3671000 手机:19907991000 热线电话: 400-097-6818  
网址: www.woserld.com 邮箱: sales@woserld.com \* 2025年9月 印刷



关注微信公众号、抖音号了解更多详情

Address: Shangli Industrial Park, Penggao Town, Pingxiang City, Jiangxi Province.  
Telephone: 0799-3671000 Mobile: 19907991000 Hotline: 400-097-6818  
Web site: www.woserld.com Mailboxes: sales@woserld.com \* Printed in September 2025



# WOSERLD

## 目录

### TABLE OF CONTENTS

|       |                      |    |
|-------|----------------------|----|
| 企业简介  | Company Introduction | 01 |
| 生产车间  | Production workshop  | 03 |
| <hr/> |                      |    |
| 钎尾系列  | Shank adapter        | 05 |
| 钎杆系列  | Drill rod            | 14 |
| 连接套系列 | Coupling             | 21 |
| 钻头系列  | Thread drill bit     | 25 |
| 截齿系列  | Cutting bits         | 27 |
| <hr/> |                      |    |





# COMPANY PROFILE

## 企业简介

“WOSERLD”源自瑞典，是全球知名液压凿岩机及钻具品牌，2019年经招商引资入驻江西萍乡国家级经济开发区，成立江西沃思德凿岩液压有限公司。公司引入先进品牌理念与精湛技术，组建专业科研团队，致力于突破行业技术瓶颈，引领行业技术发展潮流。

公司一期工厂占地110亩，拥有38000平方米的现代化智能厂房和4500平方米的高端综合办公楼，现有员工300余人，二期规划占地120亩。公司从德国、日本及中国台湾引进了200余台套国际顶尖的生产及检测设备，构建了高度自动化、智能化的生产线，专业制造全球前沿的液压凿岩机及相关配件、钎具。

目前，高端钎具年产量可达10000-12000吨。通过不断改进迭代升级，产品覆盖多种市面主流机型凿岩机配件和钎具，包括钎杆、钎头、钎尾、连接套、截齿、机头以及其他凿岩钎具、矿用钎具，产品广泛应用于矿山开采、隧道挖掘、工程建设项目。

“WOSERLD,” a globally renowned brand of hydraulic rock drills and drilling tools originating from Sweden, entered Pingxiang National Economic Development Zone in Jiangxi Province in 2019 through investment promotion and established Jiangxi WOSERLD Rock Drilling Hydraulics Co., Ltd. The company introduced advanced brand concepts and sophisticated technology, forming a professional R&D team dedicated to breaking through industry technical bottlenecks and leading the trends of technological development in the sector.

The Phase I factory covers an area of 110 mu (approximately 7.33 hectares), featuring a modern intelligent workshop of 38,000 square meters and a high-end comprehensive office building of 4,500 square meters. Currently, the company employs over 300 staff members, with Phase II planning to occupy an additional 120 mu (approximately 8 hectares). The company has imported more than 200 sets of internationally top-tier production and testing equipment from Germany, Japan, and Taiwan, China, establishing a highly automated and intelligent production line specialized in manufacturing cutting-edge hydraulic rock drills and related accessories, as well as drill tools.

At present, the annual production capacity of high-end drill tools reaches 10,000–12,000 tons. Through continuous improvement and iterative upgrades, the product range covers components and drill tools for various mainstream rock drill models on the market, including drill rods, drill bits, shank adapters, couplings, picks, drill heads, and other rock drilling and mining tools. These products are widely used in mining, tunnel excavation, and engineering construction projects.

### 为全球客户及时提供产品和服务

Timely provision of products and services for global customers.

40+


国家地区  
Country/Region

50+

全球服务配套商  
Global service provider

100+

合作分销商  
Cooperative distributor





# FACTORY STRENGTH

卓越品质之源 实力工厂铸就辉煌









# SHANK ADAPTER

## 钎尾系列


主要的螺纹形式有R22、R25、R28、R32、R38、T38  
T45、T51等螺纹钎尾产品



The main thread forms include R22, R25, R28, R32, R38, T38, T45  
and T51 threaded Shank adapter

### 钎尾 Shank adapter

| 编码<br>Part No.                                                                        | 凿岩机型号<br>Drifter Model             | 螺纹<br>Thread | A<br>(mm) | B<br>(mm) | C<br>(mm) | 花键类型<br>Spline Type | D<br>(mm) | E<br>(mm) | F<br>(mm) | 螺纹类型<br>Thread Type | 备注<br>Remarks    |
|---------------------------------------------------------------------------------------|------------------------------------|--------------|-----------|-----------|-----------|---------------------|-----------|-----------|-----------|---------------------|------------------|
|    |                                    |              |           |           |           |                     |           |           |           |                     |                  |
| 7100000082                                                                            | A18DL,1440,1432,1532,1838HD,1838ME | T45          | 525       | 52        | 34        | Regular             | 84        | 9         | 54        | Male                | 常备<br>In Stock   |
| 7300000081                                                                            | A18DL,1440,1432,1532,1838HD,1838ME | T51          | 525       | 52        | 34        | Regular             | 81        | 10        | 54        | Male                | 常备<br>In Stock   |
|    |                                    |              |           |           |           |                     |           |           |           |                     |                  |
| 7100001485                                                                            | A18DLX,1838MUX,1838HUX             | T38          | 730       | 52        | 35        | Regular             | 84        | 9         | 54        | Male                | 常备<br>In Stock   |
| 7100000815                                                                            | A18DLX,1838MUX,1838HUX             | T45          | 730       | 52        | 35        | Regular             | 88        | 9         | 54        | Male                | 常备<br>In Stock   |
|  |                                    |              |           |           |           |                     |           |           |           |                     |                  |
| 7300000062                                                                            | 1838T                              | R32          | 435       | 38        | 36        | Regular             | 82        | 10        | 54        | Male                | 定做<br>Customized |
| 7100000098                                                                            | 1838T                              | T38          | 435       | 38        | 36        | Regular             | 84        | 10        | 54        | Male                | 常备<br>In Stock   |
| 7100000524                                                                            | 1838T                              | T38          | 525       | 38        | 36        | Regular             | 84        | 10        | 54        | Male                | 常备<br>In Stock   |
|  |                                    |              |           |           |           |                     |           |           |           |                     |                  |
| 7300000069                                                                            | A20A, 1840ME                       | T51          | 565       | 52        | 35        | Helical             | 126       | 10        | 53        | Male                | 常备<br>In Stock   |



| 钎尾 Shank adapter                                                                     |                                          |              |           |           |           |                     |           |           |           |                     |                  |  |
|--------------------------------------------------------------------------------------|------------------------------------------|--------------|-----------|-----------|-----------|---------------------|-----------|-----------|-----------|---------------------|------------------|--|
| 编码<br>Part No.                                                                       | 凿岩机型号<br>Drifter Model                   | 螺纹<br>Thread | A<br>(mm) | B<br>(mm) | C<br>(mm) | 花键类型<br>Spline Type | D<br>(mm) | E<br>(mm) | F<br>(mm) | 螺纹类型<br>Thread Type | 备注<br>Remarks    |  |
|    |                                          |              |           |           |           |                     |           |           |           |                     |                  |  |
| 7100000863                                                                           | A25AX , 2160EXT , 2560EXT                | T51          | 770       | 63        | 37        | Regular             | 156       | 8         | 61        | Male                | 常备<br>In Stock   |  |
|    |                                          |              |           |           |           |                     |           |           |           |                     |                  |  |
| 7100000515                                                                           | A25LX,1240EX,1640EX,1840EX,1850EX,2550UX | T51          | 770       | 60        | 35        | Helical             | 134       | 10        | 53        | Male                | 常备<br>In Stock   |  |
|  |                                          |              |           |           |           |                     |           |           |           |                     |                  |  |
| 7100003056                                                                           | 4050MUX , 4050EX                         | ST68         | 835       | 90        | 46        | Helical             | 134       | 9         | 68        | Male                | 常备<br>In Stock   |  |
|  |                                          |              |           |           |           |                     |           |           |           |                     |                  |  |
| 7100002799                                                                           | A30LX , 3060MUX                          | ST68         | 745       | 90        | 50        | Regular             | 172       | 7         | 75        | Male                | 定做<br>Customized |  |
| 7100002002                                                                           | A30LX , 3060MUX                          | ST58         | 745       | 90        | 50        | Regular             | 172       | 7         | 75        | Male                | 定做<br>Customized |  |



| 钎尾 Shank adapter                                                                      |                        |              |           |           |           |                     |           |           |           |                     |                  |  |
|---------------------------------------------------------------------------------------|------------------------|--------------|-----------|-----------|-----------|---------------------|-----------|-----------|-----------|---------------------|------------------|--|
| 编码<br>Part No.                                                                        | 凿岩机型号<br>Drifter Model | 螺纹<br>Thread | A<br>(mm) | B<br>(mm) | C<br>(mm) | 花键类型<br>Spline Type | D<br>(mm) | E<br>(mm) | F<br>(mm) | 螺纹类型<br>Thread Type | 备注<br>Remarks    |  |
|    |                        |              |           |           |           |                     |           |           |           |                     |                  |  |
| 7100002044                                                                            | A20D , MD20            | T38          | 470       | 38        | 35        | Regular             | 125       | 9         | 53        | Male                | 常备<br>In Stock   |  |
|    |                        |              |           |           |           |                     |           |           |           |                     |                  |  |
| 7100000842                                                                            | A22LD , RD22U , RD18UP | T38          | 525       | 45        | 37        | Regular             | 80        | 7         | 61        | Male                | 常备<br>In Stock   |  |
| 7100000962                                                                            | A22LD , RD22U , RD18UP | T45          | 525       | 45        | 37        | Regular             | 80        | 7         | 61        | Male                | 常备<br>In Stock   |  |
|  |                        |              |           |           |           |                     |           |           |           |                     |                  |  |
| 7100000610                                                                            | M27D , HC110           | T45          | 530       | 45        | 38        | Regular             | 84        | 9.5       | 60        | Male                | 定做<br>Customized |  |
| 7300000066                                                                            | M27D , HC110           | T45          | 425       | 45        | 38        | Regular             | 84        | 9.5       | 60        | Male                | 定做<br>Customized |  |
| 7300000065                                                                            | M27D , HC110           | R38          | 460       | 45        | 38        | Regular             | 86        | 9.5       | 60        | Male                | 定做<br>Customized |  |
|  |                        |              |           |           |           |                     |           |           |           |                     |                  |  |
| 7100001444                                                                            | M8BD , HC25            | R25F         | 202       | 45        | 34        | Regular             | 33        | 8.4       | 53        | Female              | 常备<br>In Stock   |  |
| 7300000052                                                                            | M8BD , HC25            | R32F         | 202       | 45        | 34        | Regular             | 34        | 8.4       | 53        | Female              | 常备<br>In Stock   |  |




| 钎尾 Shank adapter |                        |              |           |           |           |                     |           |           |           |                     |                |  |
|------------------|------------------------|--------------|-----------|-----------|-----------|---------------------|-----------|-----------|-----------|---------------------|----------------|--|
| 编码<br>Part No.   | 凿岩机型号<br>Drifter Model | 螺纹<br>Thread | A<br>(mm) | B<br>(mm) | C<br>(mm) | 花键类型<br>Spline Type | D<br>(mm) | E<br>(mm) | F<br>(mm) | 螺纹类型<br>Thread Type | 备注<br>Remarks  |  |
|                  |                        |              |           |           |           |                     |           |           |           |                     |                |  |
| 7300000050       | M10BD , HC28           | R32F         | 272       | 45        | 34        | Regular             | 54        | 8.4       | 53        | Female              | 常备<br>In Stock |  |
| 7100000808       | M10BD , HC28           | T38          | 385       | 45        | 34        | Regular             | 54        | 8.4       | 53        | Female              | 常备<br>In Stock |  |
| 7300000067       | M10BD , HC28           | R38          | 385       | 45        | 34        | Regular             | 54        | 8.4       | 53        | Female              | 常备<br>In Stock |  |
|                  |                        |              |           |           |           |                     |           |           |           |                     |                |  |
| 7300000059       | M13BD , HC40 , HC50    | R38          | 390       | 38        | 38        | Regular             | 58        | 8         | 53        | Male                | 常备<br>In Stock |  |
|                  |                        |              |           |           |           |                     |           |           |           |                     |                |  |
| 7100000818       | M24DX , HC95LMR        | T38          | 503       | 45        | 40        | Regular             | 73        | 9         | 60        | Male                | 常备<br>In Stock |  |

| 钎尾 Shank adapter |                        |              |           |           |           |                     |           |           |           |                     |                  |
|------------------|------------------------|--------------|-----------|-----------|-----------|---------------------|-----------|-----------|-----------|---------------------|------------------|
| 编码<br>Part No.   | 凿岩机型号<br>Drifter Model | 螺纹<br>Thread | A<br>(mm) | B<br>(mm) | C<br>(mm) | 花键类型<br>Spline Type | D<br>(mm) | E<br>(mm) | F<br>(mm) | 螺纹类型<br>Thread Type | 备注<br>Remarks    |
| <div></div>      |                        |              |           |           |           |                     |           |           |           |                     |                  |
| 7300000063       | M21BD , HC95SA         | T38          | 440       | 45        | 40        | Regular             | 89        | 9.5       | 60        | Male                | 常备<br>In Stock   |
| 7100000872       | M21BD , HC95SA         | T38          | 500       | 45        | 40        | Regular             | 89        | 9.5       | 60        | Male                | 定做<br>Customized |
| <div></div>      |                        |              |           |           |           |                     |           |           |           |                     |                  |
| 7100002674       | S33A , HL1560          | ST58         | 635       | 80        | 50        | Regular             | 111       | 14        | 79        | Male                | 常备<br>In Stock   |
| <div></div>      |                        |              |           |           |           |                     |           |           |           |                     |                  |
| 7100001270       | S33A , HL1560T         | T60          | 760       | 65        | 50        | Regular             | 112       | 14        | 79        | Male                | 定做<br>Customized |
| 7100002674       | S33A , HL1560T         | ST58         | 635       | 80        | 50        | Regular             | 112       | 14        | 79        | Male                | 定做<br>Customized |



| 钎尾 Shank adapter                                                                                |                                                                     |              |           |           |           |                     |           |           |           |                     |                |  |
|-------------------------------------------------------------------------------------------------|---------------------------------------------------------------------|--------------|-----------|-----------|-----------|---------------------|-----------|-----------|-----------|---------------------|----------------|--|
| 编码<br>Part No.                                                                                  | 凿岩机型号<br>Drifter Model                                              | 螺纹<br>Thread | A<br>(mm) | B<br>(mm) | C<br>(mm) | 花键类型<br>Spline Type | D<br>(mm) | E<br>(mm) | F<br>(mm) | 螺纹类型<br>Thread Type | 备注<br>Remarks  |  |
| <div></div>   |                                                                     |              |           |           |           |                     |           |           |           |                     |                |  |
| 7100001788                                                                                      | S21AL , HL700 , HL710 , HL800T<br>HL810T , HF810T , HL820T , HF820T | T45          | 600       | 52        | 42        | Regular             | 95        | 13        | 69        | Male                | 常备<br>In Stock |  |
| <div></div> |                                                                     |              |           |           |           |                     |           |           |           |                     |                |  |
| 7100002791                                                                                      | S20DL , HLX5 , HLX5T , HFX5T , RDX5                                 | T38          | 525       | 65        | 37        | Regular             | 49        | 8         | 59        | Male                | 常备<br>In Stock |  |
| 7100000817                                                                                      | S20DL , HLX5 , HLX5T , HFX5T , RDX5                                 | T38          | 500       | 45        | 37        | Regular             | 49        | 8         | 59        | Male                | 常备<br>In Stock |  |
| 7100000812                                                                                      | S20DL , HLX5 , HLX5T , HFX5T , RDX5                                 | T38          | 575       | 45        | 37        | Regular             | 49        | 8         | 59        | Male                | 常备<br>In Stock |  |
| 7100000813                                                                                      | S20DL , HLX5 , HLX5T , HFX5T , RDX5                                 | T45          | 575       | 45        | 37        | Regular             | 49        | 8         | 59        | Male                | 常备<br>In Stock |  |


| 钎尾 Shank adapter                                                                                 |                        |              |           |           |           |                     |           |           |           |                     |                |  |
|--------------------------------------------------------------------------------------------------|------------------------|--------------|-----------|-----------|-----------|---------------------|-----------|-----------|-----------|---------------------|----------------|--|
| 编码<br>Part No.                                                                                   | 凿岩机型号<br>Drifter Model | 螺纹<br>Thread | A<br>(mm) | B<br>(mm) | C<br>(mm) | 花键类型<br>Spline Type | D<br>(mm) | E<br>(mm) | F<br>(mm) | 螺纹类型<br>Thread Type | 备注<br>Remarks  |  |
| <div></div>   |                        |              |           |           |           |                     |           |           |           |                     |                |  |
| 7100001696                                                                                       | RD308 , RD314 , RD414  | T38          | 410       | 38        | 34        | Regular             | 42        | 8         | 59        | Female              | 常备<br>In Stock |  |
| <div></div>   |                        |              |           |           |           |                     |           |           |           |                     |                |  |
| 7100000920                                                                                       | S14BD                  | R32F         | 205       | 38        | 34        | Regular             | 42        | 8         | 59        | Male                | 常备<br>In Stock |  |
| 7100001619                                                                                       | RD308 , RD314 , RD414  | R32F         | 205       | 45        | 34        | Regular             | 35        | 8         | 59        | Female              | 常备<br>In Stock |  |
| <div></div> |                        |              |           |           |           |                     |           |           |           |                     |                |  |
| 7100001263                                                                                       | S25DL , RD520 , RD525  | T38          | 525       | 45        | 37        | Regular             | 70        | 8         | 59        | Male                | 常备<br>In Stock |  |
| 7100001219                                                                                       | S25DL , RD520 , RD525  | T45          | 525       | 45        | 37        | Regular             | 70        | 8         | 59        | Male                | 常备<br>In Stock |  |



**钎尾 Shank adapter**

| 编码<br>Part No. | 凿岩机型号<br>Drifter Model | 螺纹<br>Thread | A<br>(mm) | B<br>(mm) | C<br>(mm) | 花键类型<br>Spline Type | D<br>(mm) | E<br>(mm) | F<br>(mm) | 螺纹类型<br>Thread Type | 备注<br>Remarks  |
|----------------|------------------------|--------------|-----------|-----------|-----------|---------------------|-----------|-----------|-----------|---------------------|----------------|
|                |                        |              |           |           |           |                     |           |           |           |                     |                |
| 7100001587     | M10BD , HC28           | 32六方         | 420       | 45        | 33        | Regular             | 59        | 8.4       | 53        | -                   | 常备<br>In Stock |
| 7100000486     | M10BD , HC28           | 32六方         | 435       | 45        | 33        | Regular             | 59        | 8.4       | 53        | -                   | 常备<br>In Stock |
| 7300000508     | M10BD , HC28           | 32六方         | 450       | 45        | 33        | Regular             | 59        | 8.4       | 53        | -                   | 常备<br>In Stock |
| 7300000507     | W14BD                  | 32六方         | 520       | 45        | 33        | Regular             | 59        | 8.4       | 53        | -                   | 常备<br>In Stock |
|                |                        |              |           |           |           |                     |           |           |           |                     |                |
| 7300000509     | M10BD , HC28           | -            | 590       | 45        | 33        | Regular             | 59        | 8.4       | 53        | -                   | 常备<br>In Stock |
| 7300000510     | W14BD                  | -            | 660       | 45        | 33        | Regular             | 59        | 8.4       | 53        | -                   | 常备<br>In Stock |
|                |                        |              |           |           |           |                     |           |           |           |                     |                |
| 7100001146     | S14BD                  | 32六方         | 455       | 45        | 34        | Regular             | 53        | 8         | 59        | Male                | 常备<br>In Stock |
|                |                        |              |           |           |           |                     |           |           |           |                     |                |
| 7100001145     | S14BD                  | -            | 610       | 45        | 34        | Regular             | 53        | 8         | 59        | -                   | 常备<br>In Stock |

# DRILL ROD 钎杆系列



主要的螺纹形式有R22、R25、R28、R32、R38、T38、T45、T51等螺纹连接钎杆产品

The main thread forms include R22、R25、R28、R32、R38、T38、T45、T51 and other threaded connection drill rod products




| 产品视图<br>Product view                                                                                                   | 编码<br>Part No. | 总长A<br>Length<br>(mm) | 螺纹C<br>Thread | 螺纹D<br>Thread | B   |
|------------------------------------------------------------------------------------------------------------------------|----------------|-----------------------|---------------|---------------|-----|
| <div>六方钎杆 Hexagonal drill rod</div>  | 7100000964     | 2175                  | R32           | R25           | 25H |
|                                                                                                                        | 7100002193     | 2700                  | R32           | R25           | 25H |
|                                                                                                                        | 7100002192     | 2975                  | R32           | R25           | 25H |
|                                                                                                                        | 7100000965     | 2475                  | R32           | R25           | 25H |
|                                                                                                                        | 7100003174     | 1900                  | R32           | R25           | 25H |
|                                                                                                                        | 7100002222     | 3500                  | R32           | R25           | 25H |
|                                                                                                                        | 7100002195     | 2600                  | R32           | R25           | 25H |
|                                                                                                                        | 7100001608     | 1900                  | R32           | R28           | 28H |
|                                                                                                                        | 7100001256     | 2175                  | R28           | R28           | 28H |
|                                                                                                                        | 7100000846     | 2175                  | R32           | R28           | 28H |
|                                                                                                                        | 7100000847     | 2475                  | R28           | R28           | 28H |
|                                                                                                                        | 7100001043     | 2475                  | R32           | R28           | 28H |
|                                                                                                                        | 7100000848     | 2600                  | R32           | R28           | 28H |
|                                                                                                                        | 7100000849     | 2700                  | R32           | R28           | 28H |
|                                                                                                                        | 7100001065     | 2975                  | R32           | R28           | 28H |


| 产品视图<br>Product view                                                                                                     | 编码<br>Part No. | 总长A<br>Length<br>(mm) | 螺纹C<br>Thread | 螺纹D<br>Thread | B   |
|--------------------------------------------------------------------------------------------------------------------------|----------------|-----------------------|---------------|---------------|-----|
| <div>六方钎杆 Hexagonal drill rod</div>  | 7100001064     | 3090                  | R28           | R28           | 28H |
|                                                                                                                          | 7100001066     | 3090                  | R32           | R28           | 28H |
|                                                                                                                          | 7100001589     | 2475                  | R32           | R32           | 32H |
|                                                                                                                          | 7100002221     | 2475                  | R38           | R32           | 32H |
|                                                                                                                          | 7100000871     | 3090                  | R32           | R32           | 32H |
|                                                                                                                          | 7100001582     | 3400                  | R38           | R32           | 32H |
|                                                                                                                          | 7100000870     | 3500                  | R32           | R32           | 32H |
|                                                                                                                          | 7100000867     | 3700                  | R38           | R32           | 32H |
|                                                                                                                          | 7100001257     | 3700                  | R32           | T38           | 32H |
|                                                                                                                          | 7100000850     | 4305                  | R38           | R32           | 32H |
|                                                                                                                          | 7100001556     | 4305                  | T38           | R32           | 32H |




| 产品视图<br>Product view                                                                                                  | 编码<br>Part No. | 总长A<br>Length<br>(mm) | 螺纹C<br>Thread | 螺纹D<br>Thread | B   |
|-----------------------------------------------------------------------------------------------------------------------|----------------|-----------------------|---------------|---------------|-----|
| <div>六方钎杆 Hexagonal drill rod</div>  | 7100001067     | 6400                  | T38           | R32           | 32H |
|                                                                                                                       | 7300000134     | 3700                  | T38           | R32           | 35H |
|                                                                                                                       | 7100001413     | 4305                  | R38           | R32           | 35H |
|                                                                                                                       | 7100001074     | 4305                  | T38           | R32           | 35H |
|                                                                                                                       | 7100001132     | 4915                  | R38           | R32           | 35H |
|                                                                                                                       | 7100000845     | 4915                  | T38           | R32           | 35H |
|                                                                                                                       | 7100000844     | 5525                  | T38           | R32           | 35H |
|                                                                                                                       | 7100001070     | 6400                  | R32           | T38           | 35H |
|                                                                                                                       |                |                       |               |               |     |

| 产品视图<br>Product view                                                                                                                   | 编码<br>Part No. | 总长A<br>Length<br>(mm) | 螺纹C<br>Thread | 螺纹D<br>Thread | E   | B   |
|----------------------------------------------------------------------------------------------------------------------------------------|----------------|-----------------------|---------------|---------------|-----|-----|
| <div>快换圆钎杆 Quick change round drill rod</div>       | 7100001044     | 800                   | R32           | R32           | Φ46 | 32R |
|                                                                                                                                        | 7100001560     | 1525                  | R32           | R32           | Φ46 | 32R |
| <div>快换六方钎杆 Quick change hexagonal drill rod</div>  | 7100001175     | 3700                  | T38           | R32           | Φ56 | 35H |
|                                                                                                                                        | 7100003129     | 4050                  | T38           | R32           | Φ56 | 35H |
|                                                                                                                                        | 7100001176     | 4305                  | T38           | R32           | Φ56 | 35H |
|                                                                                                                                        | 7100003131     | 4305                  | T38           | T38           | Φ56 | 35H |
|                                                                                                                                        | 7100001177     | 6400                  | T38           | R32           | Φ56 | 35H |
|                                                                                                                                        |                |                       |               |               |     |     |
|                                                                                                                                        |                |                       |               |               |     |     |
| <div>快换圆钎杆 Quick change round drill rod</div>     | 7100001028     | 800                   | T38           | T38           | Φ56 | 39R |
|                                                                                                                                        | 7100000742     | 915                   | T38           | T38           | Φ56 | 39R |
|                                                                                                                                        | 7100000819     | 1017                  | T38           | T38           | Φ56 | 39R |
|                                                                                                                                        | 7100000743     | 1220                  | T38           | T38           | Φ56 | 39R |
|                                                                                                                                        |                |                       |               |               |     |     |



| 产品视图<br>Product view                                                                                                              | 编码<br>Part No. | 总长A<br>Length<br>(mm) | 螺纹C<br>Thread | 螺纹D<br>Thread | E   | B   |
|-----------------------------------------------------------------------------------------------------------------------------------|----------------|-----------------------|---------------|---------------|-----|-----|
| <div>快换圆钎杆 Quick change round drill rod</div>  | 7100000744     | 1525                  | T38           | T38           | Φ56 | 39R |
|                                                                                                                                   | 7100001451     | 1830                  | T38           | T38           | Φ56 | 39R |
|                                                                                                                                   | 7100001595     | 3660                  | T38           | T38           | Φ56 | 39R |
|                                                                                                                                   | 7100001023     | 4270                  | T38           | T38           | Φ56 | 39R |
|                                                                                                                                   | 7100001025     | 4880                  | T38           | T38           | Φ56 | 39R |
|                                                                                                                                   | 7100001046     | 5490                  | T38           | T38           | Φ56 | 39R |
|                                                                                                                                   | 7100000936     | 915                   | T45           | T45           | Φ65 | 46R |
|                                                                                                                                   | 7100000745     | 1220                  | T45           | T45           | Φ65 | 46R |
|                                                                                                                                   | 7100000839     | 1525                  | T45           | T45           | Φ65 | 46R |
|                                                                                                                                   | 7100000806     | 1630                  | T45           | T45           | Φ65 | 46R |

| 产品视图<br>Product view                                                                                                              | 编码<br>Part No. | 总长A<br>Length<br>(mm) | 螺纹C<br>Thread | 螺纹D<br>Thread | E   | B   |
|-----------------------------------------------------------------------------------------------------------------------------------|----------------|-----------------------|---------------|---------------|-----|-----|
| <div>快换圆钎杆 Quick change round drill rod</div>  | 7100001130     | 3660                  | T45           | T45           | Φ65 | 46R |
|                                                                                                                                   | 7100001110     | 4270                  | T45           | T45           | Φ65 | 46R |
|                                                                                                                                   | 7100001111     | 4880                  | T45           | T45           | Φ65 | 46R |
|                                                                                                                                   | 7100001112     | 5490                  | T45           | T45           | Φ65 | 46R |
|                                                                                                                                   | 7100001062     | 1220                  | T51           | T51           | Φ74 | 52R |
|                                                                                                                                   | 7100000750     | 1525                  | T51           | T51           | Φ74 | 52R |
|                                                                                                                                   | 7100001131     | 3660                  | T51           | T51           | Φ74 | 52R |
|                                                                                                                                   |                |                       |               |               |     |     |






| 产品视图<br>Product view                                                                                                                             | 编码<br>Part No. | 总长A<br>Length<br>(mm) | 螺纹C<br>Thread | 螺纹D<br>Thread | 卡方E<br>Across Flats | B   |
|--------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-----------------------|---------------|---------------|---------------------|-----|
| <div>两头T38圆钎杆 T38 Threaded Both Ends Round Drill Rod</div>  | 7100003087     | 3660                  | T38           | T38           | 2X32.5              | 39R |
| <div>ST68钎杆 ST68 Rock Drill Rod</div>                       | 7100000887     | 1830                  | ST68          | ST68          | \                   | 87R |








# COUPLING 连接套系列



主要的螺纹形式有R32、R38、T38、T45等连接套产品

The main thread forms include R32、R38、T38、T45 coupling products

| 产品视图<br>Product view                                                                                                    | 编码<br>Part No. | 总长A<br>Length<br>(mm) | 外径B<br>Outer diameter<br>(mm) | 螺纹C<br>Thread | 螺纹D<br>Thread |
|-------------------------------------------------------------------------------------------------------------------------|----------------|-----------------------|-------------------------------|---------------|---------------|
| 变径连接套 Reducing Coupling Sleeve<br>   | 7100000563     | 172                   | Φ56                           | R32           | R38           |
| 变径连接套 Reducing Coupling Sleeve<br>   | 7100000537     | 181                   | Φ56                           | T38           | R38           |
| 变径连接套 Reducing Coupling Sleeve<br>  | 7100000562     | 178                   | Φ56                           | R32           | T38           |
| 同径连接套 Straight Coupling Sleeve<br> | 7900000051     | 170                   | Φ56                           | R38           | R38           |
| 同径连接套 Straight Coupling Sleeve<br> | 7100000536     | 191                   | Φ56                           | T38           | T38           |



| 产品视图<br>Product view                                                                                                  | 编码<br>Part No. | 总长A<br>Length<br>(mm) | 外径B<br>Outer diameter<br>(mm) | 螺纹C<br>Thread | 螺纹D<br>Thread |
|-----------------------------------------------------------------------------------------------------------------------|----------------|-----------------------|-------------------------------|---------------|---------------|
| 同径连接套 Straight Coupling Sleeve<br>   | 7100002837     | 210                   | Φ63                           | T45           | T45           |
| 同径连接套 Straight Coupling Sleeve<br>   | 7100002838     | 235                   | Φ72                           | T51           | T51           |
| 变径连接套 Reducing Coupling Sleeve<br>  | 7100003006     | 210                   | Φ63                           | T38           | T45           |
| 同径连接套 Straight Coupling Sleeve<br> | 7100003130     | 150                   | Φ45                           | R32           | R32           |
| 变径连接套 Reducing Coupling Sleeve<br> | 7100002270     | 178                   | Φ56                           | T38           | R28           |

| 产品视图<br>Product view                                                                                | 编码<br>Part No. | 总长A<br>Length<br>(mm) | 外径B<br>Outer diameter<br>(mm) | 内方C<br>Splined Drive<br>Socket | 内方D<br>Splined Drive<br>Socket |
|-----------------------------------------------------------------------------------------------------|----------------|-----------------------|-------------------------------|--------------------------------|--------------------------------|
| 搅拌机 Agitator<br> | 7100000563     | 205                   | Φ56                           | 6X36                           | 12X27.5                        |
|                                                                                                     | 7100000537     | 205                   | Φ56                           | 6X32                           | 12X30.5                        |
|                                                                                                     | 7100000562     | 205                   | Φ56                           | 6X36                           | 12X36                          |
| 搅拌机 Agitator<br> | 7100002220     | 210                   | Φ80                           | 6X36                           | 12X30.5                        |
|                                                                                                     | 7100002099     | 210                   | Φ80                           | 6X36                           | 12X32.5                        |
|                                                                                                     | 7300000336     | 210                   | Φ80                           | 6X36                           | 12X34.5                        |
|                                                                                                     | 7100002868     | 210                   | Φ80                           | 6X36                           | 12X27.5                        |
|                                                                                                     | 7100003148     | 210                   | Φ80                           | 6X36                           | 12X29.5                        |



# THREAD DRILL BIT 钻头系列

主要的螺纹形式有R22、R25、R28、R32、R38、T38  
T45、T51等螺纹钻头产品

The main thread forms include R22、R25、R28、R32、R38、T38、T45、T51  
and other threaded drill bit products

| 产品视图<br>Product view                                                                  | 编码<br>Part No. | 打孔径<br>Borehole<br>diameter<br>(mm) | 螺纹<br>Thread | 边齿角度<br>Edge tooth<br>angle | 合金数量<br>Number of<br>carbide inserts |                  | 冲洗孔<br>Flushing<br>hole |            | 顶槽<br>Top<br>groove | 合金类型<br>Carbide type                     | 排屑槽<br>Chip flute |
|---------------------------------------------------------------------------------------|----------------|-------------------------------------|--------------|-----------------------------|--------------------------------------|------------------|-------------------------|------------|---------------------|------------------------------------------|-------------------|
|                                                                                       |                |                                     |              |                             | 边齿<br>Edge tooth                     | 面齿<br>Face tooth | 中心<br>Center            | 侧面<br>Side |                     |                                          |                   |
|                                                                                       |                |                                     |              |                             |                                      |                  |                         |            |                     | 1:抛物线形<br>Parabolic<br>2:球形<br>Spherical |                   |
|    | 710000<br>1153 | Φ38                                 | R28          | 35°                         | 5X9                                  | 2X7              | 1                       | 2          | 无                   | 1, 2                                     | 2                 |
|    | 710000<br>1606 | Φ41                                 | R28          | 35°                         | 5X9                                  | 2X8              | 1                       | 2          | 无                   | 1, 2                                     | 2                 |
|                                                                                       | 710000<br>3216 | Φ41                                 | R25          | 35°                         | 5X9                                  | 2X8              | 1                       | 2          | 无                   | 1, 2                                     | 2                 |
|    | 710000<br>1156 | Φ43                                 | R32          | 30°                         | 6X10                                 | 3X8              | 3                       | 1          | 无                   | 1, 2                                     | 3                 |
|  | 710000<br>1157 | Φ45                                 | R32          | 35°                         | 6X9                                  | 3X8              | 3                       | 1          | 3                   | 1, 2                                     | 3                 |
|  | 710000<br>1160 | Φ64                                 | T38          | 30°                         | 6X12                                 | 3X11             | 3                       | 1          | 无                   | 1, 2                                     | 6                 |
|  | 710000<br>3217 | Φ76                                 | T38          | 35°                         | 8X11                                 | 4X11             | 2                       | 2          | 无                   | 1, 2                                     | 4                 |
|  | 710000<br>1161 | Φ76                                 | R32          | 35°                         | 8X11                                 | 4X11             | 2                       | 1          | 无                   | 1, 2                                     | 4                 |




# CUTTING BITS 截齿系列

沃思德品牌截齿,适用于各种岩石切割和矿物挖掘使用。已大批量应用于各类隧道开挖、巷道掘进及其它工程的施工。**我公司截齿采用进口碳化钨合金,具有高耐磨、抗火花、长寿命等特点。**结合目前先进的冷锻胚体成型技术,该胚体具有完美的金属流线组织结构,可适应恶劣环境下的负载和冲击,有效提高了截齿的使用寿命。

WOSERLD brand cutting bits are suitable for various rock cutting and mineral excavation applications. They have been widely used in various tunnel excavation, roadway tunneling, and other engineering projects. Our cutting bits are made of imported tungsten carbide alloy, featuring high wear resistance, spark resistance, and long service life. Combined with advanced cold forging blank forming technology, the blank has a perfect metal streamline structure, which can withstand loads and impacts in harsh environments, effectively extending the service life of the cutting bits.




柄体直径Φ38mm(加强型) Shank Diameter: Φ38mm (Reinforced Type)




| 型号 (Model) | D (mm) | d (mm) | D1 (mm) | L1 (mm) | L (mm) |
|------------|--------|--------|---------|---------|--------|
| 7100001275 | 38     | 30     | 80      | 81.5    | 158.5  |
| 7100001274 | 38     | 33     | 88      | 78.5    | 155.5  |

柄体直径Φ38mm Shank Diameter: Φ38mm



| 型号 (Model) | D (mm) | d (mm) | D1 (mm) | L1 (mm) | L (mm) |
|------------|--------|--------|---------|---------|--------|
| 7100001416 | 38     | 30     | 80      | 81.5    | 158.5  |
| 7100001415 | 38     | 33     | 80      | 78.5    | 155.5  |

柄体直径Φ38mm(重型) Shank Diameter: Φ38mm (Heavy Duty)



| 型号 (Model) | D (mm) | d (mm) | D1 (mm) | L1 (mm) | L (mm) |
|------------|--------|--------|---------|---------|--------|
| 7100001280 | 38     | 30     | 80      | 81.5    | 158.5  |
| 7100001279 | 38     | 33     | 88      | 78.5    | 155.5  |





**THANK YOU  
FOR CHOOSING US**

感谢关注沃思德

[www.woserld.com](http://www.woserld.com)